







代号	L1	L2	L3	B1	B2	B3	B4	B5	H1	H2	H3	H4	H5	d1	d2	d3	d4	d5	d6	h1	h2	法兰号
SMC-04/H0BC	64	243	428	185	346	77	79	158	540	117	247	256	285	241	190	100	36	8-M12	210			H0F
SMC-04/H1HC	89		477			92	111	190	572	136	258	270	299	289	200	125	47	8-M16	254	5	20	H1F
SMC-03/H1BC		387	620	202	373				626		278	289	323									
SMC-03/H2BC	108		667			95	134	196	652	148	290	302	336	343	260	200	70	8-M20	298	6	25	H2F


备注															
								SMC-03, 04/HBC 部分回转阀门电动装置 外形及连接型式尺寸							
标记	处数	区段	文件号	签字	日期					图样标记		重量	比例		
设计				工艺											
制图				标准						数量					
校对				审						材料					
审核				日期								天津百利二通机械有限公司			




代号 型号	L1	L2	L3	L4	B1	B2	B3	B4	B5	H1	H2	H3	H4	H5	H6	d1	d2	d3	d4	d5	d6	h1	h2	d	法兰号	
SMC-00/H3BC	152	519	69	911	251	364	105	152	240	543	183	352	138	345	366	406	310	203	95	8-M20 深30~40	356	6	25	305	H3F	
SMC-0/H4BC	197	529	104	939	273	367	121	197	258	672	233	410	153	414	435	476	340	248	105		406	7			HF	
SMC-1/H5BC	248	623	104	1052	304	393	127	222	280	724	255	448	162	446	466	533	410	350	165		466				H5F	
SMC-2/H6BC	330	697	125	1154	333	418	165	266	338	900	335	540	200	542	564	667	530	360	170	8-M30 深40	504	12	/	450	H6F	

备注																											
							SMC-00,0,1&2/HBC 部分回转阀门电动装置 外形及连接型式尺寸																				
																	图 样 标 记				重 量		比 例				
标记		处数	区段	文件号	签	字	日期																				
设计					工	艺																					
制图					标	准												数 量									
校对					审	定												材 料									
审核					日	期																天津百利二通机械有限公司					


SMC-3/H6BC与阀门连接的法兰型式及尺寸和外形尺寸



与电机轴线平行
Parallel to motor axis



SMC-3/H7BC与阀门连接的法兰型式及外形尺寸



Technical drawing of a vertical centrifugal pump assembly, showing three views: front view (left), side view (top right), and top view (bottom right).

Front View (Left):

- Overall width: 1378
- Distance from centerline to motor center: 838
- Motor height dimensions: 283, 320
- Motor base width: 272
- Motor base diameter: $\phi 610$
- Impeller diameter: $\phi 195$
- Impeller hub diameter: 209.6
- Impeller hub radius: R240
- Overall height: C
- Overall width at base: X
- Distance from centerline to base edge: A
- Base flange width: F
- Base height: B

Side View (Top Right):

- Motor base width: 724
- Motor base offset: 190
- Label: 拆卸空间 (Disassembly space)
- Outlet pipe plug: 出线管堵 $G1\frac{1}{4}$ "

Top View (Bottom Right):

- Overall width: $\phi d1$
- Motor base width: $\phi d6$
- Motor base offset: $\phi d2$
- Impeller hub diameter: $\phi d3$
- Impeller hub offset: $\phi d4$
- Impeller hub radius: R
- Impeller hub diameter: N
- Impeller hub offset: n-d5
- Impeller hub width: W
- Impeller hub height: H
- Impeller hub radius: R
- Overall width: G

代号 \ 型号	A	B	C	E	F	G	H	R	d1	d2	d3	MAX d4	n-d5	d6	MAX N	W	X
SMC-3/H8BC	451	412	733	415	160	410	185	250	910	700H8	480	220	12-M30 深50	800	500G1/2	12	455
SMC-3/H10BC	508	484	770	415	201	445	200	300	1016	720H8	600	250	12-M36 深60	813	500G1/2	12	508

SMC-4/H12BC与阀门连接的法兰型式及尺寸和外形尺寸

